

# **VisioLine**<sup>®</sup>

Integrated vision system for inspection of food packaging in thermoformers and traysealers.






#### VisioLine<sup>®</sup>

# **Product Details**



VisioLine® consists of a main housing with cameras and lights, an electrical cabinet and an HMI panel. The housing is fitted into the packaging machine with customized brackets while the cabinet is placed separately. The HMI panel is built into the cabinet or onto the packaging machine.

















- Seal and label inspection of food packs before the punching process
- High-speed inspection up to 10 m/min
- Quick and easy format change
- Inspection results are delivered to an external ejection system
- Effective real-time overview of quality data and production performance
- Industry 4.0-ready with multiple comm. protocols and MES/ERP connectivity
- Cloud-based backup & Production Intelligence tool



## **VisioLine**®

# **Technical Data**

#### **Performance**

| Max. peak indexing speed | 1200 mm/s            |
|--------------------------|----------------------|
| Max. throughput          | 200 packs or 10m/min |
| Formats supported        | All                  |

# **Vision Components**

| Cameras  | 2-5x GigE Line Scan |
|----------|---------------------|
| Carneras | 2-5x Gige Line Scan |

# **Computing System**

| Processing system | Industrial PC   |
|-------------------|---|
| Operating system  | Windows 10 IOT Enterprise<br>LTSC   |
| Interface         | Gigabit Ethernet and digital I/O - separate ethernet connection for machine network is optional |
| Comm. protocol    | OPC UA and REST API   |
| НМІ               | 15,6" full HD multi-touch panel   |

### **Power Requirements**

| Power Supply | 230 VAC / 5A / 50 Hz |  |
|--------------|----------------------|--|

### **Mechanical Specifications**

| Dimensions       | Length: 550 mm<br>Height: 1067/720 mm<br>Width: Adjustable to fit<br>packaging machine.       |
|------------------|---|
| Material         | Stainless steel AISI 304  |
| Enclosure Rating | Electrical cabinet IP66<br>Bottom Camera housing IP 66<br>Main housing no enclosure<br>rating |
| Ejection System  | Not included - integrates with external ejection unit.  |

