

# MASTER series



# BATTERY COOLANT CHECKER



**Rugged Construction!  
Corrosion Resistant!**



**NEW**


**Triple scales!**

**MASTER-BC**  
(°C Type)



- For measuring concentration of antifreeze solution for automobile radiator at gas station, service station, etc.
- For measuring concentration of antifreeze solution used for central heating system...
- For instantly knowing the freezing temperature of antifreeze solution, etc. in use
- For measuring specific gravity of battery fluid (dilute sulfuric acid)

**MASTER-BCF**  
(°F Type)



## Specifications

	MASTER-BC (Cat.No.2931)	MASTER-BCF (Cat.No.2932)
Measurement range	Freezing temperature scale Propylene glycol : 0°C to -50°C Ethylene glycol : 0°C to -50°C Battery fluid d <sub>20</sub> <sup>20</sup> : 1.150 to 1.300	Freezing temperature scale Propylene glycol : 32°F to -50°F Ethylene glycol : 32°F to -60°F Battery fluid d <sub>20</sub> <sup>20</sup> : 1.150 to 1.300
Minimum scale	Freezing temperature scale Propylene glycol : 5°C Ethylene glycol : 5°C Battery fluid d <sub>20</sub> <sup>20</sup> : 0.01	Freezing temperature scale Propylene glycol : 10°F Ethylene glycol : 10°F Battery fluid d <sub>20</sub> <sup>20</sup> : 0.01
Size and weight	3.2×3.4×16.8cm, 90g	

All ATAGO refractometers are designed and manufactured in Japan.

**HACCP GMP GLP**

ATAGO products comply with HACCP, GMP, and GLP system standards.

**ATAGO CO.,LTD.**



\* Specifications and appearance are subject to change without notice.



1.800.561.8187

www.itm.com

information@itm.com